F4 LED washer, 7 kg
Type : F712L
Model: FS712AL

Technical data

Type of product: Stand alone

Nominal capacity: 6 kg

Maximum spin speed : 1200 rpm

EAN code: 8033675153797

Product dimensions: 840 x 600 x 560 mm

Dimensions with packaging: 870 x 630 x 590 mm

Net weight: 63 kg

Gross weight: 64 kg

Drum volume (litre): 48 l

Drum diameter: 470 mm

Adjustable feet: Yes

Door: Type 7

Door opening angle: 160 °

Door diameter: 430 mm

Electrical connection nominal data: 2200 W

Current: 10 A

Power: 220 - 240 V

Frequency: 50 Hz

Certification : VDE

Energy efficiency*: D

Spinning efficiency*: C

Weighted energy consumption*: 65 kWh / annum

Washing efficiency index*: 1,03

Water consumption per cycle*: 37 lt

Energy consumption per cycle*: 0,653 kWh

Noise class*: B

Noise emission during the spin phase*: 76 dBA

Programme weighted-time*: 205 min.

Main features

- Electronic controller
- Universal motor
- Spin regulation
- Temperature regulation
- Programme advancement status indicator
- Water consumption self-regulation
- Load self-balancing in spinning

Control Panel

- LED indicators
- Programme advancement status indicator

Safety

- Child lock
- Anti-overflow
- Defoamer
- Overheating control

Eprel registration n° 524858

* Data relating to the 2010/30 / EC regulation
** Average values of the various programmes

Washing programs

1- Cotton

2 - Eco 40-60

3 - Synthetic

4 - Rapid 30 min.

5 - Memory

6 - Duvet

7 - Jeans/Coloured

8 - Self-clean

9 - Delicate

10 - Sport

11 - Curtain

12 - Wool

13 - Allergy

14 - Rinse

15 - Spin

Consumption data

- Energy efficiency class[1]: D

- Energy[2]: 65 kWh/annum

- Loading capacity: 7 Kg

- Programme duration[3]: 205 min/cycle

- Airborne noise emission: 76 dB

- Noise efficiency class[4]: B

- Spinning efficiency class[5]: C

[1] On a scale of energy efficiency classes from A to G.

[2] Weighted annual energy consumption in kWh, based on 100 washing cycles with reference program, in full load and half load mode.

[3] Weighted duration of the reference program at full load and half load.

[4] On a scale of efficiency classes from A to G.

[5] On a scale of efficiency classes from A to D.