

HYBRID WASHER, 5 kg
Type: S4210C
Model: II510



Main features

- Hybrid timer
- Universal motor
- Programme advancement status indicator
- Spin reduction

Eprel registration n° 503844



Technical data

Type of product: Stand alone
 Nominal capacity: 5 kg
 Maximum spin speed: 1000 rpm
 EAN code: 8033675153001
 Product dimensions: 850 x 590 x 520 mm
 Dimensions with packaging: 880 x 620 x 550 mm
 Net weight: 62 kg
 Gross weight: 63 kg
 Drum volume (litre): 42 l
 Drum diameter: 470 mm
 Adjustable feet: Yes
 Door: Type 7
 Door opening angle: 160 °
 Door diameter: 430 mm
 Electrical connection nominal data: 2200 W
 Current: 10 A
 Power: 220 - 240 V
 Frequency: 50 Hz
 Certification: VDE
 Energy efficiency*: C
 Spinning efficiency*: C
 Weighted energy consumption*: 54 kWh / annum
 Washing efficiency index*: 1,03
 Water consumption per cycle*: 30 lt
 Energy consumption per cycle*: 0.537 kWh
 Noise class*: B
 Noise emission during the spin phase*: 73 dBA
 Programme weighted-time*: 193 min.

Control Panel

- Hybrid timer
- Temperature regulation
- Programme advancement status indicator
- Rinse hold

Safety

- Defoamer
- Overheating control

* Data relating to the 2010/30 / EC regulation

** Average values of the various programmes

Washing programs

Cotton

- 1 - Pre-wash cold - 90°C
- 2 - Energetic cold - 90°C
- 3 - Eco 40 - 60°C
- 4 - Lingerie cold - 50°C
- 5 - Rinse
- 6 - Softener
- 7 - Spin

Synthetic

- 8 - Pre-wash cold - 60°C
- 9 - Quotidian colo - 60°C
- 10 - Delicate cold - 40°C
- 11 - Rinse
- 12 - Softener
- 13 - Spin

Wool

- 14 - Wool cold - 40°C
- 15 - Hand wash cold - 40°C
- 16 - Rinse
- 17 - Softener
- 18 - Drain

Consumption data

- Energy efficiency class¹: C
- Energia²: 54 kWh/annum
- Loading capacity: 5 kg
- Programme duration³: 213 min./cycle
- Airborne noise emission: 73 dB
- Noise efficiency class⁴: B
- Spinning efficiency class⁵: C

¹ On a scale of energy efficiency classes from A to G.

² Weighted annual energy consumption in kWh, based on 100 washing cycles with reference program, in full load and half load mode.

³ Weighted duration of the reference program at full load and half load.

⁴ On a scale of efficiency classes from A to G.

⁵ On a scale of efficiency classes from A to D.

